



## Hooks

### High Test Garb Hook

Hot Forged, Heat Treat and Tempered

| Part No. | Chain Size | Working Load Limit (LBS) | W      | D        | H      | L        | P      | R        |
|----------|------------|--------------------------|--------|----------|--------|----------|--------|----------|
| U1961    | 1/4"       | 2,600                    | 5/16"  | 1-15/16" | 3/8"   | 3-3/8"   | 5/16"  | 2"       |
| U1962    | 5/16"      | 4,000                    | 3/8"   | 2-1/4"   | 7/16"  | 3-15/16" | 3/8"   | 2-3/8"   |
| U1963    | 3/8"       | 5,400                    | 7/16"  | 2-11/16" | 1/2"   | 4-1/2"   | 7/16"  | 2-11/16" |
| U1964    | 7/16"      | 7,200                    | 1/2"   | 3"       | 9/16"  | 5-1/32"  | 1/2"   | 3"       |
| U1965    | 1/2"       | 9,200                    | 19/32" | 3-5/16"  | 21/32" | 5-5/8"   | 9/16"  | 3-23/64" |
| U1967    | 5/8"       | 11,500                   | 3/4"   | 4-1/4"   | 25/32" | 6-7/8"   | 11/16" | 4"       |
| U1969    | 3/4"       | 16,200                   | 7/8"   | 5-1/4"   | 15/16" | 8"       | 3/4"   | 4-19/32" |

### High Test Slip Hook

Hot Forged, Heat Treat and Tempered

| Part No. | Chain Size | Working Load Limit (LBS) | W      | D        | H       | L        | P      | R        |
|----------|------------|--------------------------|--------|----------|---------|----------|--------|----------|
| U1970    | 1/4"       | 2,600                    | 5/16"  | 2-5/8"   | 15/16"  | 3-11/16" | 5/16"  | 2-5/16"  |
| U1971    | 5/16"      | 4,000                    | 3/8"   | 3-1/16"  | 1-1/16" | 4-3/16"  | 3/8"   | 2-9/16"  |
| U1972    | 3/8"       | 5,400                    | 7/16"  | 3-1/2"   | 1-1/4"  | 4-7/8"   | 7/16"  | 3"       |
| U1973    | 7/16"      | 7,200                    | 1/2"   | 4-5/16"  | 1-9/16" | 5-11/16" | 1/2"   | 3-1/2"   |
| U1974    | 1/2"       | 9,200                    | 19/32" | 4-7/8"   | 1-3/4"  | 6-3/8"   | 9/16"  | 3-15/16" |
| U1975    | 5/8"       | 11,500                   | 3/4"   | 5-11/16" | 2"      | 7-9/16"  | 11/16" | 4-3/4"   |

### Eye Hoist Hooks

| Part No. | WWL (Tons) | Overall Length |
|----------|------------|----------------|
| U1976    | 3/4"       | 4-5/16"        |
| U1977    | 1"         | 4-7/8"         |
| U1978    | 1-1/2"     | 5-1/2"         |
| U1979    | 2"         | 6-3/8"         |

|       |    |     |
|-------|----|-----|
| U1980 | 3" | 8"  |
| U1981 | 5" | 10" |